


OI810143

TEMPERATURE SENSORS • CONTACTLESS MEASUREMENT (INFRARED)



MECHANICAL DATA

Ambient temperature (MAX)	75 °C
Ambient temperature (MIN)	-20 °C
Degree of protection (IP)	IP67
Housing design	Cylinder plain
Housing material	Stainless steel 1.4571
Measurement of material humidity	No
Sensor diameter	60 mm

ELECTRICAL DATA

Display	None
Hysteresis	5 %
Infrared measurement	Yes
Interface	No
Max. output current	400 mA
Measured value memory	No
Measurement of differential temperature	No
Measurement of rel. air humidity	No
Measuring range (MAX)	300 °C
Measuring range (MIN)	0 °C
Multiple display	No
No-load current	15 mA
Number of pins	5
Operating voltage (MAX)	55 V
Operating voltage (MIN)	10 V
Separate sensor	No
Short-circuit-proof	Yes
Switching frequency	10 Hz
Thermocouple RTD	No
Type B thermocouple	No
Type E thermocouple	No
Type J thermocouple	No

ELECTRICAL DATA

Type K thermocouple	No
Type N thermocouple	No
Type of electrical connection	Plug-in connection
Type of switching function	Normally open contact (NO)
Type of switching output	PNP
Type R thermocouple	No
Type S thermocouple	No
Type T thermocouple	No
Voltage type	DC
With LED display	Yes

OPTICAL DATA

Angle of beam spread	5 °
----------------------	-----

DIMENSIONAL DRAWING**INSTALLATION**

Mounting / Installation may only be carried out by a qualified electrician!

DISPOSAL**SAFETY WARNINGS**

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information!

Never use these devices in applications where the safety of a person depends on their functionality.