




## Product information M-XFP-SR/LC EEC - M-XFP-SR/LC

Industrial Ethernet: System Accessories: Transceiver: 10 Gigabit Ethernet XFP and SFP+ Transceiver: M-XFP-SR/LC EEC

<http://dev-catalog.beldensolutions.com/link/57078-24455-24544-24535-24530-501008/en/conf/ui/state>

<b>Name</b>	M-XFP-SR/LC EEC
	
	XFP Fiberoptic 10Gigabit-Ethernet Transceiver
<b>Delivery informations</b>	
<b>Availability</b>	available
<b>Product description</b>	
<b>Description</b>	XFP Fiberoptic 10Gigabit-Ethernet Transceiver
<b>Order No.</b>	942 054-001
<b>Port type and quantity</b>	1 x 10GBASE with LC Connector
<b>Type</b>	M-XFP-SR/LC
<b>Network size - length of cable</b>	
<b>Multimode fiber (MM) 50/125 µm</b>	0 – 66 m, 850 nm; 8.1 dB link budget, 3.0 dB/km, 400 MHz*km; 0-82 m, 850 nm; 8.1 dB link budget, 3.0 dB/km, 500 MHz*km (OM2); 0-300 m, 850 nm; 8.1 dB link budget, 3.0 dB/km, 2000 MHz*km (OM3)
<b>Multimode fiber (MM) 62.5/125 µm</b>	0 – 26 m, 850 nm; 8.1 dB link budget, 3.2 dB/km, 160 MHz*km; 0 – 33 m, 850 nm; 8.1 dB link budget, 3.2 dB/km, 200 MHz*km (OM1)
<b>Service</b>	
<b>Diagnostics</b>	optical input- and output power, transceiver temperature
<b>Technical data</b>	
<b>Operating voltage</b>	power supply via media module
<b>Operating temperature</b>	-40 °C to +85 °C
<b>Relative humidity (non-condensing)</b>	5% - 95%
<b>Power consumption</b>	3 W
<b>Approvals</b>	
<b>Basis Standard</b>	FCC, RCM
<b>Safety of information technology equipment</b>	cUL 60950-1
<b>Transportation</b>	EN50121-4

For more information please contact:

Hirschmann Automation and Control GmbH

Stuttgarter Strasse 45-51

72654 Neckartenzlingen

Germany

Phone: +49 7127/14-1809

E-Mail: [inet-sales@belden.com](mailto:inet-sales@belden.com)

The information published in the websites has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price-related/commercial respect. The complete information and data were available on user documentation. Mandatory information can only be obtained by a concrete query.